

TECHNICAL DATA SHEET

Part#: 530E-4-US-CUSTOM

Cutters - Standoff Shear Small Frame -- .XXX" Standoff - Long Thin Jaw Designed with a long thinner tip to fit between connector pins

The 530E-4-US 5.75" long jaw anti-shock shear cutter reduces shock and is designed with a long thinner tip to fit between connector pins. The tip width is .100". It's recommended cutting capacity is 24 AWG (.020" diameter). Standard cut length is 0.040". It features an ergonomically molded antimicrobial Anti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

Precision Level

Material

Surface Resistivity

Shape

Type of Cut

Cutting Capacity

Blade Angle

Blade Length

Body Width

Body Height

OAL

• Weight (OZ)

UPC

• Schedule B

• ECCN

• UNSPSC Code

Country of Origin

Group

Carbon

10¹⁰ ohms/sq

Straight

Shear

.025"

.090"

0.42" (10.5mm)

5.75" (143.75mm)

5

N/A


8203.20.60.30

FAR99

27111511

USA

Small Frame



EXCELTA

530E-4-US Anti-Shock, Standoff Shear Cutter

A= 1.100* B= .100"

C= .090*







