

TECHNICAL DATA SHEET

Part#: 7172E

Cutters - 50° Angulated Head - Blade Length .28"
Offers excellent visibility and accessibility with a larger (.28") blade

The 7172E Lazer Line[®] large angulated/tapered optimum flush cutter is a precision cutting tool designed for soft wire with a cutting capacity of .005" - .032". The tool is constructed of carbon tool steel and is equipped with induction-hardened cutting blades to RHC 63-65. The 6" tool features a 50° angled tip with a set-screw to prevent over-travel, ensuring a longer lifespan for the tool. Additionally, the Anti-Static grips are made of soft cushioned foam with a surface resistivity of 10^{10} ohms/sq, providing comfort and protection for the user. The dual leaf springs enable smooth action, making this tool a reliable choice for precision cutting.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Angulated Head
- Type of Cut Optimum Flush
- Cutting Capacity .005 - .032"
- Blade Angle 50°
- Blade Length .31" (7.75mm)
- Body Width 0.42" (10.5mm)
- Body Height 6" (150mm)
- OAL 3
- Weight (OZ) 662847009297
- UPC 8203.20.60.60
- Schedule B EAR99
- ECCN 27111511
- UNSPSC Code USA
- Country of Origin Angled Head
- Group

